



  
VMOTO

*CUX*PRO

---

ELECTRIC VEHICLES

  
VMOTO



## THE PERFECT BALANCE OF SIZE AND FUNCTIONALITY



Scan here for more info

### TECHNICAL INFORMATION

<b>Homologation</b>	L1e-B (comparable to 50cc)		
<b>Engine</b>	Vmoto	<b>LxWxH</b>	1782 mm*727 mm*1087 mm
<b>Rated power</b>	2.1 kW	<b>Wheelbase</b>	1217 mm
<b>Max power</b>	2.3 kW	<b>Ground clearance</b>	140 mm
<b>Battery model</b>	18650 cylindrical battery	<b>Seat height</b>	750 mm
<b>Battery capacity</b>	60 V/43 Ah x 1PCS	<b>Rims</b>	Fr. 2.15-12   Rr. 2.15-12
<b>Charging power</b>	600 W	<b>Tires</b>	Fr. 90/90-12   Rr. 90/90-12
<b>Charging time</b>	4.5 h	<b>Suspension</b>	Hydraulic damping system
<b>Range*</b>	80 Km*	<b>Weight</b>	64 kg (without battery)
<b>Max speed</b>	55 Km/h (EU 45 km/h)	<b>Brakes</b>	SSBS
<b>Climbing angle</b>	15°	<b>Colours</b>	White / Grey

WMTC Stage 3\*





# HAPPINESS IS A JOURNEY

VMOTO.COM

## Vmoto Limited

Level 48, 152-158  
St Georges Terrace,  
Perth Western Australia 6000, Australia

## Vmoto International

15, Zhongxing East Road  
Lishui Economic Development Zone  
Lishui District, Nanjing 211200  
Jiangsu Province, China

## Vmoto Europe

Boekweitstraat 95-97, 2153 GK  
Nieuw Vennepe, The Netherlands

## Vmoto Italy Srl

Sesto S. Giovanni  
(Milan)

## Vmoto Germany

Ammerbuch (Stuttgart)

## Vmoto UK

Guildford (London)

## Vmoto France

Paris



Official  
Electric Scooter  
Supplier



OFFICIAL PARTNER



**Attention:** The photos and technical information contained in this catalog may refer to prototypes subject to changes during production and are for purely illustrative and reference purposes, therefore they are not binding for Vmoto International. Vmoto cannot be held responsible for any printing and/or translation errors. This catalog is transnational and therefore some products may not be available and/or their characteristics may vary according to local laws. Not all colors and versions are available in every country. Vmoto reserves the right to make changes and improvements to any product without prior notice or to make such changes to products already sold. Further characteristics of the products are contained in the relevant user manuals. The products represented are not final versions and are therefore subject to significant changes at the discretion of Vmoto without notice. The photographs published in this catalog show only professional drivers in controlled road conditions. Do not try to imitate this driving behavior as it could be dangerous for you or other people on the road. This catalogue, including, but not limited to, trademarks, logos, texts, images, graphics and table of contents, constitutes the intellectual property of Vmoto, or in any case Vmoto has the right to reproduce it. Any total or partial reproduction, modification or other use of the catalog or its contents is prohibited, including publication on the Internet without the prior written consent of Vmoto. Actual battery consumption may vary based on many factors, including, but not limited to, riding style, maintenance performed, weather conditions, surface characteristics, tire pressure, load, rider weight and the passenger, the accessories. Curb weights are considered with all operating fluids, standard equipment and battery. For more information visit [www.vmosoco.com](http://www.vmosoco.com).